



UNITED STATES PATENT AND TRADEMARK OFFICE

UNITED STATES DEPARTMENT OF COMMERCE
United States Patent and Trademark Office
Address: COMMISSIONER OF PATENTS AND TRADEMARKS
Washington, D.C. 20231
www.uspto.gov

APPLICATION NO.	FILING DATE	FIRST NAMED INVENTOR	ATTORNEY DOCKET NO.	CONFIRMATION NO.
09/781,721	02/12/2001	William Richard Dubrul	ARTM 1008-5 US	8945

22470 7590 10/04/2002

HAYNES BEFFEL & WOLFELD LLP
P O BOX 366
HALF MOON BAY, CA 94019

EXAMINER

SERKE, CATHERINE

ART UNIT

PAPER NUMBER

3763

DATE MAILED: 10/04/2002

Please find below and/or attached an Office communication concerning this application or proceeding.

Office Action Summary	Application No.	Applicant(s)
	09/781,721	DUBRUL ET AL.
	Examiner Catherine Serke	Art Unit 3763

-- The MAILING DATE of this communication appears on the cover sheet with the correspondence address --

Period for Reply

A SHORTENED STATUTORY PERIOD FOR REPLY IS SET TO EXPIRE 3 MONTH(S) FROM THE MAILING DATE OF THIS COMMUNICATION.

- Extensions of time may be available under the provisions of 37 CFR 1.136(a). In no event, however, may a reply be timely filed after SIX (6) MONTHS from the mailing date of this communication.
- If the period for reply specified above is less than thirty (30) days, a reply within the statutory minimum of thirty (30) days will be considered timely.
- If NO period for reply is specified above, the maximum statutory period will apply and will expire SIX (6) MONTHS from the mailing date of this communication.
- Failure to reply within the set or extended period for reply will, by statute, cause the application to become ABANDONED (35 U.S.C. § 133).
- Any reply received by the Office later than three months after the mailing date of this communication, even if timely filed, may reduce any earned patent term adjustment. See 37 CFR 1.704(b).

Status

1) Responsive to communication(s) filed on 08 July 2002.

2a) This action is FINAL. 2b) This action is non-final.

3) Since this application is in condition for allowance except for formal matters, prosecution as to the merits is closed in accordance with the practice under *Ex parte Quayle*, 1935 C.D. 11, 453 O.G. 213.

Disposition of Claims

4) Claim(s) 26-32 and 34-38 is/are pending in the application.

4a) Of the above claim(s) _____ is/are withdrawn from consideration.

5) Claim(s) _____ is/are allowed.

6) Claim(s) 26-32 and 34-38 is/are rejected.

7) Claim(s) _____ is/are objected to.

8) Claim(s) _____ are subject to restriction and/or election requirement.

Application Papers

9) The specification is objected to by the Examiner.

10) The drawing(s) filed on _____ is/are: a) accepted or b) objected to by the Examiner.

Applicant may not request that any objection to the drawing(s) be held in abeyance. See 37 CFR 1.85(a).

11) The proposed drawing correction filed on _____ is: a) approved b) disapproved by the Examiner.

If approved, corrected drawings are required in reply to this Office action.

12) The oath or declaration is objected to by the Examiner.

Priority under 35 U.S.C. §§ 119 and 120

13) Acknowledgment is made of a claim for foreign priority under 35 U.S.C. § 119(a)-(d) or (f).

a) All b) Some * c) None of:

1. Certified copies of the priority documents have been received.

2. Certified copies of the priority documents have been received in Application No. _____.

3. Copies of the certified copies of the priority documents have been received in this National Stage application from the International Bureau (PCT Rule 17.2(a)).

* See the attached detailed Office action for a list of the certified copies not received.

14) Acknowledgment is made of a claim for domestic priority under 35 U.S.C. § 119(e) (to a provisional application).

a) The translation of the foreign language provisional application has been received.

15) Acknowledgment is made of a claim for domestic priority under 35 U.S.C. §§ 120 and/or 121.

Attachment(s)

1) Notice of References Cited (PTO-892)

2) Notice of Draftsperson's Patent Drawing Review (PTO-948)

3) Information Disclosure Statement(s) (PTO-1449) Paper No(s) 11.

4) Interview Summary (PTO-413) Paper No(s) _____.

5) Notice of Informal Patent Application (PTO-152)

6) Other: _____

DETAILED ACTION

Claim Rejections - 35 USC § 102

The following is a quotation of the appropriate paragraphs of 35 U.S.C. 102 that form the basis for the rejections under this section made in this Office action:

A person shall be entitled to a patent unless –

(e) the invention was described in –

(1) an application for patent, published under section 122(b), by another filed in the United States before the invention by the applicant for patent, except that an international application filed under the treaty defined in section 351(a) shall have the effect under this subsection of a national application published under section 122(b) only if the international application designating the United States was published under Article 21(2)(a) of such treaty in the English language; or

(2) a patent granted on an application for patent by another filed in the United States before the invention by the applicant for patent, except that a patent shall not be deemed filed in the United States for the purposes of this subsection based on the filing of an international application filed under the treaty defined in section 351(a).

Claims 26, 28-30 and 32 are rejected under 35 U.S.C. 102(e) as being anticipated by Shapland et al (US '306).

Shapland discloses a polymer matrix drug delivery apparatus that includes a porous tubular mesh (82) comprising a contact-dispensable agent and a radially expandable element (84) where the dispensing of the agent is carried out by iontophoresis (see figs 8a-8b). While Shapland does not disclose the method steps as claimed, all the method steps are considered inherent for the use of the prior art device as disclosed.

Claims 34-36 and 38 are rejected under 35 U.S.C. 102(e) as being anticipated by Theron (US '2000).

Theron discloses a balloon catheter for stent implantation that includes the steps of first positioning an inflatable balloon at a target site in the body; next inflating the balloon, deflating the balloon and displacing the balloon, then positioning at the target site an axially compressible, radially expandable tubular braid scaffolding mounted to the catheter shaft at a second position

on the catheter; and finally expanding the tubular braid (see figures 1, 4 and 5). See also column 4 lines 20+, 53+ and column 5 lines 1+.

Claim Rejections - 35 USC § 103

The following is a quotation of 35 U.S.C. 103(a) which forms the basis for all obviousness rejections set forth in this Office action:

(a) A patent may not be obtained though the invention is not identically disclosed or described as set forth in section 102 of this title, if the differences between the subject matter sought to be patented and the prior art are such that the subject matter as a whole would have been obvious at the time the invention was made to a person having ordinary skill in the art to which said subject matter pertains. Patentability shall not be negated by the manner in which the invention was made.

Claim 31 is rejected under 35 U.S.C. 103(a) as being unpatentable over Shapland in view of Wolff et al.

Shapland meets the claim limitations as described above but fails to include a braid as the tubular mesh. At the time of the invention, it would have been obvious to have the porous mesh of Shapland be in the form of a braid since tubular braid stents are well known in the art and are used for their mechanical strength. Wolff discloses use of such braid. At the time of the invention it would have been obvious to incorporate the braid of Wolff into the invention of Shapland in order to provide a mesh with enhanced strength.

Claim 37 is rejected under 35 U.S.C. 103(a) as being unpatentable over Theron in view of Wolff et al.

Theron meets the claim limitations as described above but fails to include dispensing an agent from the scaffolding. At the time of the invention, it would have been obvious to have the porous mesh of Theron be capable of eluting a drug agent since administering drugs to the walls of blood vessels after angioplasty and /or stenting is well known in the art and done in order to

increasing the time the vessel wall will remain patient. Wolff discloses use of such a scaffolding. At the time of the invention it would have been obvious to incorporate the scaffolding of Wolff into the invention of Theron in order to provide a scaffolding that will increase the effectiveness of the angioplasty and stenting to the patient.

Double Patenting

The nonstatutory double patenting rejection is based on a judicially created doctrine grounded in public policy (a policy reflected in the statute) so as to prevent the unjustified or improper timewise extension of the "right to exclude" granted by a patent and to prevent possible harassment by multiple assignees. See *In re Goodman*, 11 F.3d 1046, 29 USPQ2d 2010 (Fed. Cir. 1993); *In re Longi*, 759 F.2d 887, 225 USPQ 645 (Fed. Cir. 1985); *In re Van Ornum*, 686 F.2d 937, 214 USPQ 761 (CCPA 1982); *In re Vogel*, 422 F.2d 438, 164 USPQ 619 (CCPA 1970); and, *In re Thorington*, 418 F.2d 528, 163 USPQ 644 (CCPA 1969).

A timely filed terminal disclaimer in compliance with 37 CFR 1.321(c) may be used to overcome an actual or provisional rejection based on a nonstatutory double patenting ground provided the conflicting application or patent is shown to be commonly owned with this application. See 37 CFR 1.130(b).

Effective January 1, 1994, a registered attorney or agent of record may sign a terminal disclaimer. A terminal disclaimer signed by the assignee must fully comply with 37 CFR 3.73(b).

Claims 26-38 are rejected under the judicially created doctrine of obviousness-type double patenting as being unpatentable over claims 1-4, 6-7, 9, 12-13 of U.S. Patent No. 6,450,989. Although the conflicting claims are not identical, they are not patentably distinct from each other because the structures of the claims are the same.

Response to Arguments

Applicant's arguments with respect to claims 26-38 have been considered but are moot in view of the new ground(s) of rejection.

Conclusion

Any inquiry concerning this communication or earlier communications from the examiner should be directed to Catherine Serke whose telephone number is 703-308-4846. The examiner can normally be reached on Monday - Friday.

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Brian Casler can be reached on 703-308-3552. The fax phone numbers for the organization where this application or proceeding is assigned are 703-872-9302 for regular communications and 703-872-9303 for After Final communications.

Any inquiry of a general nature or relating to the status of this application or proceeding should be directed to the receptionist whose telephone number is 703-308-2192.

Catherine Serke 
September 28, 2002



BRIAN L. CASLER
SUPERVISORY PATENT EXAMINER
TECHNOLOGY CENTER 3700